

SAFETY DATA SHEET

Clearly Clean X-Treme

1. **GENERAL INFORMATION**

TRADE NAME (COMMON NAME OR SYNONYM)		C.A.S. NO.	
Clearly Clean X-Treme		N/A	
CHEMICAL NAME/DISCRIPTION			
Heavy Duty Castic Cleaner			
Emergency telephone number:			Contract Number
ChemTel: 1-800-255-3924			MIS0006628
ADDRESS (No., STREET, CITY, STATE, AND ZIP CODE)			
Delux® InC.			
2300 Cold Springs Road			
Fort Worth, TX 76106			
CONTACT	PHONE NUMBER	ISSUED DATE	REVISED DATE
Cody Downs	817-529-6637	2/27/2015	08/05/2015

2. **GHS Classification**

Signal Word: DANGER

Skin: Category 1 Eyes: Category 1

H314 Corrosive



H315 Irritant



HAZARD IDENTIFICATION

HAZARD DATA RATING: 1 – Health, 3 – Fire, 0 – Reactivity 0 = Minimal, 4 = Slight, 3 = Moderate, 2 = Serious, 1 = Sever

GHS Hazard Statements

H303: May be harmful if swallowed

H313: May be harmful in contact with skin

H320: Causes eye irritation

H371: May cause danger to organs

H314: Causes Sever Skin Burns and Eye

damage

GHS Precautionary Statments

P102: Keep out of the reach of children

P103: Read label before use

P262: Do not get in eyes, on skin or clothing

P273: Avod release to the environment

P301+P312: IF SWALLOWED: Call a POISON CENTER or

doctor/physician if you feel unwell

P302+P352: IF ON SKIN: Wash with soap and water

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to

do. Continue rinsing.

P332+P303: If skin irritation occurs: Get medical advice/attention

3. **COMPOSITION/INFORMATION ON INGREDIENTS**

MATERIAL OR COMPONENT/C.A.S. WT. % CHEMICAL NAME

CHEMICAL NAME	CAS#	CONCENTRATION (%)
Sodium Nitrite	CAS# 7631-99-4	<1.5
Triethanolamine	CAS# 71-91-0	<3.5
Sodium Hydroxide	CAS# 1310-73-2	<82.5
Sodium Carbonate	CAS# 97328-76-2	<2.6

Trade Secret CAS# N/A <19

4. FIRST AID MEASURES

Eyes: Hold the eyelids apart and flush the eye gently with large amounts of water for at least 15 minutes.

Skin: Flush skin with cool water. Wash the exposed area with plenty of soap and water while removing contaminated clothing and shoes. Get immediate medical attention. Wash clothing before reuse and throw away shoes which connot be thoroughly cleaned.

Inhalation: Remove individual to fresh air and get immediate medical attention. If breathing is difficult, give oxygen. If breathing stops, give artificial respiration.

Ingestion: Have person drink a glass of water immediately if able to swallow. Get medical attention immediately. Do Not INDUCE VOMITING unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

EFFECTS OF OVEREXPOSURE

Acute: Skin: Major potential hazard. Causes severe burns with deep ulcerations. Eyes: Causes sever destruction and blindness. Thiese effects can occur rapidly affecting all parts of the eye.

Chronic: Skin: repeated or prolonged skin contact would be expected to cause drying, cracking and inflammation of the skin. (dermatitis)

5. FIRE-FIGHTING MEASURES

SPECIAL FIRE HAZARDS: Water will produce violent exothermic reaction.

FIRE FIGHTING METHODS: Use CO2 Foam or Dry Chemical

FLASH POINT: N/A

FLAMMABLE LIMITS – LOWER: UNK UPPER: UNK

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they muist use appropriate certified respirators. Ensure clean up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

7. Handling and Storage

NORMAL HANDLING

Use smallest amounts possible in designated areas with adequate ventilation. Keep containers closed when not in use. Empty containers may contain hazardous residue. Avoid generateing mists. Transfer solutions using equipment that is corrosion resistant. Cautiously transfer into sturdy containers made of compatible materials. Never return contaminated material to its original container. Never add water to solution, always add solution to water and provide agitation.

STORAGE

Store in a cool, dry, well-ventilated area. Keep containers tightly closed when not in use. Protect from damage. Store away from incompatible materials. Avoid mosture.

8. Exposure Control/Personal Protective Equipment

RESPIRATORY PROTECTION: N/A

EYES AND FACE: Splashproof glasses recommended

HANDS, ARMS AND BODY: wear appropriate personal protective equipment to prevent skin contact. Rubber chemical

proof gloves recommended

OTHER CLOTHING AND EQUIPMENT: N/A

9. Physical Properties

MATERIAL IS (AT NORMA	L CONDITIONS):	APPEARANCE AND ODOR	
Granular		White granular powder with Citrus of	dor
BOILING POINT	MELTING POINT	SPECIFIC GRAVITY (H ₂ O = 1)	VAPOR DENSITY (AIR = 1)
Unknown	NA	1.885	Unknown
SOLUBILITY IN WATER (9	% by Weight)	PH	VAPOR PRESSURE (mm Hg at 20 ^o C)
100%		1% = 13 to 14	N/A
EVAPORATION RATE □(I	Butyl Acetate = 1) □(Ether = 1)	% VOLATILES BY VOLUME (At 20 ⁰ C)	
0		0	

10. Stability & Reactivity

STABILITY: Stable **INCOMPATIBILITY:** Acids and strong Oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: None

HAZARDOUS POLYMERIZATION: None

CONDITIONS TO AVOID: Mixture with water, acid or incompatible materials can cause splattering and release of large

amounts of heat. Will react with some metals.

11. TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE: Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes: Causes serious eye damage Skin: Causes sever skin irritation Ingestion: May be harmful if swallowed

Inhalation: Under normal conditions, vapor level will be too low to present inhalation hazard.

Experience with human exposure

Eyes: Flush eyes immediately with plenty of cool running water. Remove contact lenses. Continue flushing for 15 minutes holding eyelids open.

Skin: Flush skin with plenty of cool running water. Wash thoroughly with soap and water.

If Swallowed: Rinse mouth; then drink 1 or 2 large glasses of water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

If Inhaled: Move immediately to fresh air; If breathing is difficult, admister oxygen.

12. Ecological and Aquatic Toxicity

BIODEGRADABILITY/AQUATIC TOXICITY: No know Aquatic Toxidity or Ecotoxicological effects.

OCTANOL/WATER PARITION COEFFICIENT: N/A

EPA HAZARDOUS SUBSTANCE? No IF SO, REPORTABLE QUANITITY: 40 CFR 116-117

13. Disposal

WASTE DISPOSAL METHODS (DISPOSER MUST COMPLY WITH FEDERAL, STATE AND LOCAL DISPOSAL OR DISCHARGE LAWS.

Dispose of waste material at an approved waste treatment/disposal facility in accordance with applicable regulations. Do not dispose of with normal garbage or to sewer systems.

14. Transportation

D.O.T. CLASSIFICATION: UN 1759, Corrosive Solid, n.o.s., (Sodium Hydroxide), 8, PG II

15. Regulatory

EPCRA- Emergency Planing and Community Right-to-Know

CERCLA Reportable Quantity: This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity: This material does not contain ay components with a section 304 EHS RQ.

SECTION 313 (Specific toxic chemical listings): None of the ingredients is listed.

TSCA (Toxic Substances Control Act): All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

16. Other

3 3
5
0 0
3 3

THE DATA PRESENTED HEREIN ARE BELIEVED TO BE ACCURATE BUT ARE IN NO WAY GUARANTEED. Delux® Inc.. ASSUMES NO LIABILITY IN CONNECTION WITH ANY USE FOR THE PRODUCTS DISCUSSED AND IT MAKES NO WARRANTY, EXPRESS OR IMPLIED, IN THAT RESPECT, NOR CAN IT BE ASSUMED THAT ALL SAFETY MEASURES ARE INDICATED HEREIN OR THAT OTHER OR ADDITIONAL MEASURES MAY BE REQUIRED. THE USER, THEREFORE, MUST ASSUME FULL RESPONSIBILITY, BOTH AS TO PERSONS AND AS TO PROPERTY, FOR THE USE OF THESE MATERIALS INCLUDING ANY USE THAT MIGHT BE COVERED BY PATENT.

DELUX® INC. CODE(S): Clearly Clean X-Treme