

2300 Cold Springs Rd. Fort Worth, TX 76106 www.PowerWash.com

Contract Number: MIS0003698

Phone: 817.625.4213 Fax: 817.625.2059

Toll Free: 1.800.433.2113

SAFETY DATA SHET EZ-Cling Roof Cleaning Additive

Section 1

Product Description

Trade Name: EZ-Cling

Chemical Description:

Emergency: ChemTel 1-800-255-3924
Distributor: PowerWash.com

2300 Cold Springs Rd. Fort Worth, TX 76106

Contact Delia Galindo

817-625-4213 05/20/2015

Section 2

Revised

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

Signal Word: WARNING

H315 Irritant



GHS Hazard Statements

H320: Causes eye irritation.

GHS Classification:

Serious Eye Damage/Eye Irritation Category 2B, Skin Corrosion/Irritation Category 3

Section 3

Composition / Information on Ingredients

 Chemical Name
 CAS #
 %

 Trade Secret
 NA
 85 - 95

Section 4

First Aid Measures

Emergency and First Aid Procedures

In case of accident by inhalation: remove casualty to fresh air and keep at rest.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact: After contact with skin, wash immediately with plenty of water.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5

Firefighting Procedures

EZ-Cling Page 1 of 4

Extinguishing Media: Use methods suitable to fight surrounding fire.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Fire and/or Explosion Hazards: Fire or excessive heat may produce hazardous decomposition products.

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide

Section 6 Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled:

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this (M)SDS Surfaces may become slippery after spillage.

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation.

Section 7 Handling and Storage

Handling: Wash thoroughly after handling.

Storage: Keep container tightly closed in a cool, well-ventilated place.

Material is hygroscopic (absorbs moisture).

Storage Code: Green - general chemical storage

Section 8 Protection Information

ACGIH OSHA PEL

 Chemical Name
 (TWA)
 (STEL)
 (TWA)
 (STEL)

 Trade Secret
 N/A
 N/A
 N/A
 N/A

Control Parameters

Engineering Measures: No exposure limits exist for the constituents of this product. General room ventilation

might be required to maintain operator comfort under normal conditions of use.

Personal Protective Equipment (PPE): Lab coat, apron, eye wash, safety shower.

Respiratory Protection: No respiratory protection required under normal conditions of use.

Eye Protection: Wear chemical splash goggles when handling this product. Have an eye wash

station available.

Skin Protection: Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for

protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and

water before eating, drinking, and when leaving work.

Gloves: No information available

Section 9 Physical Data

Formula: CH3CH(OH)CH2OH Molecular Weight: 76.09 Appearance: Colorless Liquid

Odor: Mild Sweet

Odor Threshold: No data available

pH: No data available Melting Point: -60 C Boiling Point: 188 C Flash Point: 99 C

Flammable Limits in Air: 2.6 - 12.6%

Vapor Pressure: 0.11 hPa at 20 °C Evaporation Rate (BuAc=1): 0.005 Vapor Density (Air=1): 2.62 Specific Gravity: 1.04 at 20 °C Solubility in Water: Soluble Log Pow (calculated): -0.92

Autoignition Temperature: No data available Decomposition Temperature: No data available

Viscosity: 0.56

Percent Volatile by Volume: No data available

Section 10 Reactivity Data

Reactivity: Not generally reactive under normal conditions.

Chemical Stability: Stable under normal conditions.

Conditions to Avoid: None known.

Incompatible Materials: Silver Nitrate, Strong oxidizing agents, Strong reducing agents

Hazardous Polymerization: Will not occur

Section 11 Toxicity Data

Routes of Entry Inhalation, ingestion, eye or skin contact.

Symptoms (Acute): No data available **Delayed Effects:** No data available

Acute Toxicity:

Chemical Name CAS Number Oral LD50 **Dermal LD50** Inhalation LC50

Trade Secret Oral LD50 Dog 22000 mg/kg NA

Dermal LD50 Rabbit 20800 mg/kg

Not determined

Carcinogenicity: **Chemical Name CAS Number**

NTP **IARC OSHA Trade Secret** NA Not listed Not listed Not listed

Chronic Effects:

Mutagenicity: No evidence of a mutagenic effect. Teratogenicity: No evidence of a teratogenic effect (birth defect). Sensitization: No evidence of a sensitization effect.

No evidence of negative reproductive effects. Reproductive:

Target Organ Effects:

Acute: No information available No information available Chronic:

Section 12 **Ecological Data**

Overview: This material is not expected to be harmful to the ecology.

Mobility: This material is expected to have very high mobility in soil. It does not absorb to most soil types.

Persistence: Biodegradation

Bioaccumulation: Bioconcentration is not expected to occur.

Degradability: Biodegrades quickly.

Other Adverse Effects: No data

Chemical Name CAS Number Eco Toxicity

Trade Secret 96 HR LC50 ONCORHYNCHUS MYKISS 51600 MG/L [STATIC] NA

96 HR LC50 PIMEPHALES PROMELAS 51400 MG/L [STATIC]

96 HR LC50 PIMEPHALES PROMELAS 710 MG/L 24 HR EC50 DAPHNIA MAGNA 10000 MG/L

48 HR EC50 DAPHNIA MAGNA 1000 MG/L [STATIC]

96 HR EC50 PSEUDOKIRCHNERIELLA SUBCAPITATA 19000

MG/L

Section 13 Disposal Information

Dispose in accordance with all applicable Federal, State and Local regulations. Always **Disposal Methods:**

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): Not Determined

Section 14 Transport Information

Ground - DOT Proper Shipping Name: Air - IATA Proper Shipping Name: Not regulated for transport by US DOT. Not regulated for air transport by IATA.

Section 15 Regulatory Information

TSCA Status: All components in this product are on the TSCA Inventory.

CAS **Chemical Name** § 313 Name § 304 RQ **CERCLA RQ** § 302 TPQ **CAA 112(2)**

> Number TQ

Trade Secret NA No No Nο Nο Nο

Section 16 Additional Information

Revised: 09/03/2014 Replaces: 08/27/2014 Printed: 04-21-2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a

Page 3 of 4 EZ-Cling

particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH	American Conference of Governmental	NTP	National Toxicology Program
	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health

THE DATA PRESENTED HEREIN ARE BELIEVED TO BE ACCURATE BUT ARE IN NO WAY GUARANTEED. POWERWASH.COM. ASSUMES NO LIABILITY IN CONNECTION WITH ANY USE FOR THE PRODUCTS DISCUSSED AND IT MAKES NO WARRANTY, EXPRESS OR IMPLIED, IN THAT RESPECT, NOR CAN IT BE ASSUMED THAT ALL SAFETY MEASURES ARE INDICATED HEREIN OR THAT OTHER OR ADDITIONAL MEASURES MAY BE REQUIRED. THE USER, THEREFORE, MUST ASSUME FULL RESPONSIBILITY, BOTH AS TO PERSONS AND AS TO PROPERTY, FOR THE USE OF THESE MATERIALS INCLUDING ANY USE WHICH MIGHT BE COVERED BY PATENT.

PowerWash.com product code: EZ-Cling